



1 0.6ø x 1.36P  
per sq. in. 17.6% 開孔率



2 0.8ø x 1.55P  
per sq. in. 24.2% 開孔率




3 1ø x 1.5P  
34.9% 開孔率



4 2ø x 3P  
34.9% 開孔率



5 2.5ø x 4P  
35.4% 開孔率



6 3ø x 5P  
32.6% 開孔率



7 3ø x 6P  
22.6% 開孔率




8 4ø x 7P  
29.6% 開孔率



9 5ø x 8P  
35.4% 開孔率



10 6ø x 9P  
40.2% 開孔率



11 5□ x 8P  
39% 開孔率



12 7□ x 10P  
49% 開孔率



志憲企業行  
洪志明




Mobile:0927872155


TEL:07-7166002 FAX:07-7247299

Email:ming690708@gmail.com


地址:高雄市802苓雅區廣東二街74巷3號




17 8ø x 12P  
40.2% 開孔率




18 9ø x 12P  
50.9% 開孔率




19 10ø x 15P  
40.2% 開孔率




20 2.5x20  
.098"x.787" -23.6% 開孔率




21 6x20  
.236"x.787" -37.2% 開孔率



22 4x20  
.157"x.787" -41.2% 開孔率



23 7x26  
.276"x1.024" -71.6% 開孔率



24 3.5x21  
.137"x.827" -48% 開孔率




25 



26


PERCENTAGE OPEN AREA & HOLE NOS CALCULATION



$$\% \text{ Open Area} = 78.54 \left(\frac{d}{P}\right)^2$$

$$\text{Hole Number} = \frac{5.4 \times 25.4}{P^2}$$

Arrangement= 90°



$$\% \text{ Open Area} = 90.69 \left(\frac{d}{P}\right)^2$$

$$\text{Hole Number} = \frac{2 \times 25.4 \times 25.4}{1.732 \times P^2}$$

Arrangement= 60°



志遠企業行  
洪志明



Mobile:0927872155

TEL:07-7166002 FAX:07-7247299

Email:ming690708@gmail.com

地址:高雄市802苓雅區廣東二街74巷3號