



ISO"B" ROLLER CHAIN



MAXTOP CHAIN NO.	Pitch x Width		Roller	Plate				Pin			Transverse Pitch C	Average Ultimate Strength kgf	Approx Weight kg/m	
	P x W		Dia	Height		Thickness	Dia	Lengths						
	inch	mm	R	H1	H2	T1	T2	D	F	G	G1			
05B-1	0.315" x 0.118"	8.00 x 3.00	5.00	7.00	7.00	0.75	0.75	2.30	3.85	4.80	---	---	530	0.16
05B-2	0.315" x 0.118"	8.00 x 3.00	5.00	7.00	7.00	0.75	0.75	2.30	6.65	7.64	---	5.64	960	0.30
06B-1	0.375" x 0.225"	9.525 x 5.72	6.35	8.10	8.10	1.00	1.25	3.28	6.10	7.40	---	---	1050	0.39
06B-2	0.375" x 0.225"	9.525 x 5.72	6.35	8.10	8.10	1.00	1.25	3.28	11.20	12.30	---	10.24	1900	0.74
06B-3	0.375" x 0.225"	9.525 x 5.72	6.35	8.10	8.10	1.00	1.25	3.28	16.30	17.40	17.80	10.24	2700	1.09
08B-1	0.5" x 0.305"	12.70 x 7.75	8.51	10.20	11.80	1.50	1.50	4.44	8.20	9.50	---	---	1930	0.65
08B-2	0.5" x 0.305"	12.70 x 7.75	8.51	10.20	11.80	1.50	1.50	4.44	15.30	16.70	---	13.92	3600	1.30
08B-3	0.5" x 0.305"	12.70 x 7.75	8.51	10.20	11.80	1.50	1.50	4.44	22.20	23.50	23.80	13.92	5400	1.92
10B-1	0.625" x 0.38"	15.875 x 9.65	10.16	13.00	14.60	1.65	1.65	5.06	9.60	11.10	---	---	2700	0.92
10B-2	0.625" x 0.38"	15.875 x 9.65	10.16	13.00	14.60	1.65	1.65	5.06	17.90	19.40	---	16.59	5200	1.68
10B-3	0.625" x 0.38"	15.875 x 9.65	10.16	13.00	14.60	1.65	1.65	5.06	26.20	27.50	28.20	16.59	7850	2.62
12B-1	0.75" x 0.46"	19.05 x 11.68	12.07	16.00	16.00	1.80	1.80	5.72	11.10	12.60	---	---	3400	1.24
12B-2	0.75" x	19.05 x	12.07	16.0	16.00	1.80	1.80	5.72	20.80	22.4	---	19.46	6800	2.28

	0.46"	11.68		0						0				
12B-3	0.75" x 0.46"	19.05 x 11.68	12.07	16.0 0	16.00	1.80	1.80	5.72	30.60	31.9 0	32.50	19.46	10200	3.55
16B-1	1" x 0.67"	25.4 x 17.02	15.88	20.8 0	20.80	3.20	4.00	8.27	17.70	19.2 5	20.20	---	8000	2.65
16B-2	1" x 0.67"	25.4 x 17.02	15.88	20.8 0	20.80	3.20	4.00	8.27	33.64	35.1 6	36.16	31.88	16000	5.25
16B-3	1" x 0.67"	25.4 x 17.02	15.88	20.8 0	20.80	3.20	4.00	8.27	49.58	51.1 2	52.12	31.88	24000	7.86
20B-1	1.25" x 0.77"	31.75 x 19.56	19.05	26.0 0	26.00	3.50	4.40	10.18	20.50	---	23.50	---	12000	3.85
20B-2	1.25" x 0.77"	31.75 x 19.56	19.05	26.0 0	26.00	3.50	4.40	10.18	38.73	---	41.72	36.45	24000	7.65
20B-3	1.25" x 0.77"	31.75 x 19.56	19.05	26.0 0	26.00	3.50	4.40	10.18	56.95	---	59.95	36.45	36000	11.45
24B-1	1.5" x 1"	38.10 x 25.40	25.4	33.0 0	33.00	5.20	6.00	14.62	26.65	---	32.35	---	18000	7.60
24B-2	1.5" x 1"	38.10 x 25.40	25.4	33.0 0	33.00	5.20	6.00	14.62	50.83	---	56.53	48.36	35000	14.80
24B-3	1.5" x 1"	38.10 x 25.40	25.4	33.0 0	33.00	5.20	6.00	14.62	75.00	---	80.72	48.36	52500	21.90
28B-1	1.75" x 1.22"	44.45 x 31.00	27.94	37.0 0	37.00	6.40	7.40	15.90	32.48	---	37.97	---	21000	9.05
28B-2	1.75" x 1.22"	44.45 x 31.00	27.94	37.0 0	37.00	6.40	7.40	15.90	62.26	---	67.75	59.56	41000	17.12
28B-3	1.75" x 1.22"	44.45 x 31.00	27.94	37.0 0	37.00	6.40	7.40	15.90	92.04	---	97.53	59.56	60000	25.61
32B-1	2" x 1.22"	50.80 x 31.00	29.21	42.2 0	42.20	6.40	7.10	17.81	32.68	---	38.17	---	26500	10.63
32B-2	2" x 1.22"	50.80 x 31.00	29.21	42.2 0	42.20	6.40	7.10	17.81	61.95	---	67.45	58.55	50500	20.85
32B-3	2" x 1.22"	50.80 x 31.00	29.21	42.2 0	42.20	6.40	7.10	17.81	91.23	---	96.72	58.55	76000	31.57
40B-1	2.5" x 1.5"	63.50 x 38.10	39.37	52.9 0	52.90	8.00	8.40	22.89	40.20	---	47.30	---	39600	16.25
40B-2	2.5" x 1.5"	63.50 x 38.10	39.37	52.9 0	52.90	8.00	8.40	22.89	76.35	---	83.45	72.29	76000	31.86
40B-3	2.5" x 1.5"	63.50 x 38.10	39.37	52.9 0	52.90	8.00	8.40	22.89	112.50	---	119.60	72.29	112000	48.14
48B-1	3" x 1.8"	76.20 x 45.72	48.26	63.5 0	63.50	9.90	11.80	29.24	49.40	---	56.50	---	62200	25.05
48B-2	3" x 1.8"	76.20 x 45.72	48.26	63.5 0	63.50	9.90	11.80	29.24	95.00	---	102.10	91.21	118000	49.83

ISO"B" STRAIGHT LINK PLATE CHAIN



MAXTOP CHAIN NO.	Pitch x Width		Width	Roller	Plate			Pin			Average Ultimate Strength kgf	Approx Weight kg/m	
	P x W				W	Dia	Height	Thickness		Dia			Lengths
	inch	mm	mm	R				H	T1				T2
06B	0.375"	9.525	5.72	6.35	8.10	1.00	1.25	3.28	6.10	7.40	---	1050	0.39
08BF	0.5"	12.70	7.75	8.51	11.80	1.50	1.50	4.44	8.20	9.50	---	1930	0.75
10BF	0.625"	15.875	9.65	10.16	14.60	1.65	1.65	5.06	9.60	11.10	---	2700	1.00
12BF	0.75"	19.05	11.68	12.07	16.00	1.80	1.80	5.72	11.10	12.60	---	3400	1.29
16BGL-24	1"	25.40	17.02	15.88	24.00	3.20	4.00	8.27	17.70	19.25	20.20	8000	3.30
16BF	1"	25.40	17.02	15.88	21.00	3.20	4.00	8.27	17.70	19.25	20.20	8000	2.70
20BF	1.25"	31.75	19.56	19.05	26.00	3.50	4.40	10.18	20.50	---	23.50	12000	4.25
24BF	1.5"	38.10	25.40	25.40	33.00	5.20	6.00	14.62	26.65	---	32.35	18000	8.20

志明

手機:0927872155 歡迎電洽
24H 網路 FAX:07-7247299


E mail:ming690708@gmail.com

<http://goo.gl/N14M>

志明 24H 雲端硬碟

<http://goo.gl/Aldr6>

ISO"B" HEAVY DUTY CHAIN



MAXTOP CHAIN NO.	Pitch		Width	Roller	Plate				Pin			Average Ultimate Strength kgf	Approx Weight kg/m
	P		W	Dia	Height		Thickness		Dia	Lengths			
	inch	mm	mm	R	H1	H2	T1	T2	D	F	G		
08BH	0.5"	12.70	7.75	8.50	11.20	12.20	2.00	2.00	4.44	9.30	10.70	2400	0.85
10BH	0.625"	15.875	9.65	10.16	13.00	14.60	2.00	2.00	5.06	10.10	11.65	3100	1.01
12BH	0.75"	19.05	11.68	12.07	16.00	16.00	2.40	2.40	6.12	12.30	13.80	4500	1.42

志明

手機:0927872155 歡迎電洽
24H 網路 FAX:07-7247299

E mail:ming690708@gmail.com

<http://goo.gl/N14M>

志明 24H 雲端硬碟

<http://goo.gl/Ard6>